1 of 3 1/10/2011 11:27 AM





# Secure Safe Deposit

## **Burglar Protection**



Secure Safe Deposit for securely depositing cash a valuables.

The Secure Safe Deposit allows the depositing of cash and valuable items without having to first open the safe door. This makes it easier for retailers and small businesses to make deposits during working hours without putting staff or the other contents of the safe at risk. The Secure Safe Deposit offers an effective solution to the issue of how to deal with a build-up of bank notes accumulated during trading hours before banking and the problem of how to protect cash in the main safe at the close of trading.

Manufactures recommended Cash Rating: \$5,000.00

Model	Description	Key Lock	Combination Lock	Electronic
450	Secure Safe Deposit	-	-	Electronic
700	Secure Safe Deposit	-	-	Electronic







### Models

The Secure Safe Deposit is available in two sizes. Each size is available with either key lock or an electronic lock. The deposit unit is located above the door and allows the deposits as large as 265mm wide, 80mm high and 150mm deep

### Construction

The Secure Safe Deposit is constructed with a 10mm solid steel plate door and 6mm steel body. The door is secured by chrome-plated, 20mm diameter bolts operating on three sides of the door. Afull-height fixed plate secures the hinge side of the door. The deposit mechanism is protected by three anti-fishing plates to prevent unauthorised removal of deposited items.

### Locking

All models are available with a double-bitted key lock or a user-friendly electronic lock capable of accepting two user codes of up to eight digits each. The electronic lock is also equipped with a mechanical override.

### Additional Features

The safes can be anchored to the floor using the fixing kit supplied. In addition, the larger size comes with a removable shelf.

### Design

The Secure Safe Deposit range has a two-tone powder with a light-grey door and dark-grey body. The door furnishings are chrome-plated.

### Dimensions

Size	External Demensions (mm)		Internal Dimensions (mm)		Volume	Weight	Shelf / Drawer		
	Height	Width	Depth	Height	Width	Depth	(Litres)	( Kg )	
450	455	340	380	240	325	305	24	54	-
700	700	340	380	480	325	305	48	73	1



<<< Back

Terms & Conditions

2 of 3 1/10/2011 11:27 AM

# Premiersafes The safe specialists

3 of 3 1/10/2011 11:27 AM